



## *INTAKE & EXHAUST*





**Air Filters**



*K&N Air Filter – Part #0000-06-5201*

K&N AIR FILTERS						
PART NUMBER	CODE	# REQ.	DESCRIPTION	MODEL/ ENGINE TYPE	YEAR	NOTES
0000-06-7201	C	1	Air Filter	RX2 & RX3	1971-76	
0000-06-7202	C	1	Air Filter	RX3 RX4 RX7 12A	1977-78 1974-78 1979-85	Complete air box and filter assembly also available (Part #0000-06-7301).
0000-06-7203	C	1	Air Filter	RX7 13B RX7 NT, T & TT	1984-85 1986-95	
0000-06-5201	C	1	Air Filter	Miata 1.6 & 1.8 323 & Protege	1990-97 1990-94	323 and Protege (all engines).
0000-06-6201	C	1	Air Filter	MX6, 626 2.0 & 2.5	1993-97	Fits 2.5 V6 and 2.0 4 cylinder.
0000-06-4201	C	1	Air Filter	MX3 1.6 & 1.8	1992-95	
0000-06-3201	C	1	Air Filter	323 & GTX 1.6 & 1.6 T	1986-89	



= NEW! Competition Part

NT = Non-Turbo

T = Turbo

TT = Twin-Turbo (93-95 RX7)

## Intake System Components








*Air Box & Filter Assembly – Part #0000-06-7301*



*Grose-Jet® – Part #0000-06-7311*

## INTAKE SYSTEM COMPONENTS

PART NUMBER	CODE	# REQ.	DESCRIPTION	MODEL/ ENGINE TYPE	YEAR	NOTES
0000-06-7301		1	Air Box and Filter Assembly	I2A	ALL	Redesigned high-flow aluminum air filter box for stock carburetor improves horsepower and engine performance by maximizing air flow. Includes high-flow K&N filter element. Legal for SCCA "IT" class.
0000-06-7311		2	Groze-Jet®	I2A	1972-85	Replaces stock carburetor needle and seat. Provides consistent fuel metering and fuel flow under all conditions, even with high "G" cornering loads. Also available for I3B carburetor applications.
NF01-13-350	C	1	Fuel Pump	I3B & 20B	See NOTES	High volume fuel pump for 20B Cosmo 3 rotor engine provides approximately 10-20% more fuel flow than any stock fuel injection pump.
N304-13-250	C/S	2/4	Fuel Injector	RX7 (I3B) RX7 T	1984-85 1987-91	Highest fuel flow of any injector available (from 1984-85 I3B GSL-SE). Recommended for turbo upgrade applications where additional fuel is required.
0000-06-9301		1	Intake Manifold – Side Port	I2A	ALL	For mounting downdraft carburetor. (Weber 48 IDA/F to side port engine.)
4352-13-100	C	1	Intake Manifold – Peripheral Port	I2A	ALL	For mounting downdraft carburetor (Weber 48 IDA/F) to peripheral-port engine.
4801-13-100	C	1	Intake Manifold – Peripheral Port	I3B	ALL	For mounting downdraft carburetor (Weber 48 IDA/F) to P-port engine.
0000-06-3301		1	Intake Manifold – Dual Side Draft	I.3 & I.5 SOHC	ALL	For mounting dual-side draft carburetors (GT4, GT5, DSR). Linkage not included.
0000-06-5301		1	Intake Manifold – Dual Side Draft	I.6 DOHC	1990-93	For mounting dual-side draft carburetors (E Production legal). Linkage not included.
0862-78-205	C	2	O-Ring-Intake Manifold	I2A & I3B	ALL	For peripheral-port engines only.
0862-78-206	C	4	Gasket-Carburetor Base	I2A & I3B	ALL	For Weber 48 IDA/F carburetors.
0839-78-240	C	2	Rubber Isolator – Carburetor	I2A & I3B	ALL	Rubber support block for fitment of Weber 48 IDA/F carburetors.
ZR03-13-280	C	1	Regulator-Fuel Pressure	I2A, I3B & 20B	ALL	For fuel injected engines.
4352-41-130	C	1	Throttle Cable	I2A & I3B	ALL	For use with downdraft Weber 48 IDA/F carburetors on side and peripheral-port.

 = NEW! Competition Part

NT = Non-Turbo

T = Turbo

TT = Twin-Turbo (93-95 RX7)



Muffler – Part #0000-06-9103-DX

EXHAUST						
PART NUMBER	CODE	# REQ.	DESCRIPTION	MODEL/ ENGINE TYPE	YEAR	NOTES
0000-06-9103-DX		1	Muffler-Stainless	12A & 13B	ALL	Dynomax® Ultra Flo stainless mufflers feature a unique straight through design. This effectively minimizes back pressure and turbulence. Stainless construction provides high temperature (up to 1900° F) durability and longer life. Dimensions: 16" x 6" round with 3" inlet/outlet. Also available in 12" and 30" case lengths and 3-1/2" inlet/outlet. For SCCA "IT" class.
0000-06-9104-26		1	Muffler-Stainless	12A & 13B	ALL	Replaceable stainless steel packing. 26" length/3" inlet and outlet. (4" inlet and outlet also available.) For "GT" classes.
0000-06-9104-30		1	Muffler-Stainless	12A & 13B	ALL	See NOTES for Part #0000-06-9104-26. (30" length)
0000-06-500	C	1	Muffler-Stainless	12A & 13B	ALL	Stainless steel casing and packing. Dimensions: L=18"/ W=13"/H=7" with 3" inlet and outlet. Available while supplies last. For "GT" classes.
0000-06-9102-SS	C	1	Muffler-Stainless	12A & 13B	ALL	Stainless steel casing and packing. Case dimensions: 25" x 8" (round). 3" inlet and outlet. For "GT" classes.
0000-06-9101-LR	C	1	Muffler-Stainless	12A & 13B	ALL	Stainless steel casing with lava rock packing. More durable than stainless packing. Case dimensions same as Part #0000-06-9102-SS. For "GT" classes.



= NEW! Competition Part

NT = Non-Turbo

T = Turbo

TT = Twin-Turbo (93-95 RX7)



Exhaust Pipe Joint Kit – Part #0000-06-9411



Exhaust Pipe Joint Kit Assembled – Part #0000-06-9411

### EXHAUST, continued ...

PART NUMBER	CODE	# REQ.	DESCRIPTION	MODEL/ ENGINE TYPE	YEAR	NOTES
0000-06-9401		1	Header	I2A	See NOTES	For use on I2A GT3 class cars. Not legal for street use. Special order.
0000-06-9402		1	Header	I2A	See NOTES	For use on I2A F/Atlantic and CSR class cars. Not legal for street use. Special order.
0000-06-7401		1	Header	RX7 I2A	1979-85	For use on I2A RX7s (ITA, etc.). Not legal for street use.
0000-06-7405		1	Header	RX7 I3B	1986-91	For use on I3B RX7s (ITS, etc.). Not legal for street use.
0000-06-5401		1	Header	Miata 1.6 DOHC	1990-93	1-5/8" diameter header with 2-1/2" collector. For use on SCCA "IT" engines. Not legal for street use.
0000-06-5402		1	Header	Miata 1.6 DOHC	1990-93	1-3/4" diameter header with 2-1/2" collector for use on SCCA GT and EP engines. Not legal for street use.
0000-06-5403		1	Header	Miata 1.8 DOHC	1994-97	Not legal for street use.
0000-06-9111		1	Header Flange – Stainless	I2A	ALL	Stainless exhaust header flange.
0000-06-9411		1	Kit-Exhaust Pipe Joint	Various	ALL	3" exhaust pipe joint kit eliminates need for standard pipe clamps, slip-joints, gaskets or welding of pipes. Kit consists of 2 flange rings that are welded to exhaust pipes. Stainless clamp securely seals flange rings together. Allows for quick assembly and disassembly. (Also available in 4".)
0000-06-9412		1	90° Exhaust Turn	I2A & I3B	ALL	Exhaust flange can be used to add plates to control decibel levels.
0839-78-298	C	2	Gasket-Exhaust Manifold	I2A & I3B	ALL	For peripheral-port engines.

= NEW! Competition Part

NT = Non-Turbo

T = Turbo

TT = Twin-Turbo (93-95 RX7)